

TUBES S235

Qualité	forme	Long	Larg/ø	EPAISSEUR	POIDS	STOCK	COLISAGE	STOCK	COLISAGE
						6M		12M	
S235	Rond		20	2	0,89	x	331		
S235	Rond		21,3	2	0,95	x	271		
S235	Rond		25	2	1,13	x	217		
S235	Rond		26,9	2	1,23	x	217		
S235	Rond		26,9	2,3	1,40	x	217		
S235	Rond		30	2	1,38	x	169		
S235	Rond		33,7	2	1,56	x	169		
S235	Rond		33,7	2,5	1,92	x	127		
S235	Rond		33,7	3	2,27	X	127		
S235	Rond		33,7	4	2,93	x	91		
S235	Rond		35	2	1,63	x	169		
S235	Rond		40	2	1,87	x	127		
S235	Rond		40	3	2,74	x	91		
S235	Rond		42,4	2	1,99	x	91		
S235	Rond		42,4	2,5	2,46	x	91		
S235	Rond		42,4	3	2,92	x	91		
S235	Rond		42,4	4	3,79	x	61		
S235	Rond		45	2	2,12	x	91		
S235	Rond		48,3	2,5	2,82	x	91		
S235	Rond		48,3	3	3,35	x	61		
S235	Rond		48,3	4	4,37	x	61		
S235	Rond		48,3	5	5,34	x	37		
S235	Rond		50	2	2,37	x	91		
S235	Rond		60,3	2	2,88	x	61		
S235	Rond		60,3	2,5	3,56	x	61		
S235	Rond		60,3	3	4,24	x	61	x	37
S235	Rond		60,3	4	5,55	x	37	x	37
S235	Rond		60,3	5	6,82	x	37		
S235	Rond		70	2	3,35	x	37		
S235	Rond		76,1	2,5	4,54	x	37		
S235	Rond		76,1	3	5,41	x	37		
S235	Rond		76,1	4	7,11	x	37	X	19
S235	Rond		88,9	3	6,36	x	33	x	28
S235	Rond		88,9	3	6,36	x		x	
S235	Rond		88,9	4	8,38	x	33	x	23
S235	Rond		88,9	5	10,35			x	18
S235	Rond		88,9	6	12,27			x	18
S235	Rond		88,9	8	15,96			x	11
S235	Rond		101,6	3	7,30	x	27	x	18
S235	Rond		101,6	3,6	8,70			x	18
S235	Rond		101,6	4	9,63	x	27	x	18
S235	Rond		101,6	5	11,91			x	14
S235	Rond		114,3	3	8,24	x	23	x	18

Qualité	forme	Long	Larg/Ø	EPAISSEUR	POIDS	STOCK	COLISAGE	STOCK	COLISAGE
						6M		12M	
S235	Rond		114,3	3,6	9,83			x	18
S235	Rond		114,3	4	10,88			x	18
S235	Rond		114,3	5	13,48			x	18
S235	Rond		133	4	12,73			x	14
S235	Rond		133	6	18,79			x	11
S235	Rond		139,7	4	13,39			x	14
S235	Rond		139,7	5	16,61			x	11
S235	Rond		139,7	6	19,78			x	11
S235	Rond		152,4	4	14,60			x	10
S235	Rond		159	4	15,29			x	10
S235	Rond		159	5	18,99			x	10
S235	Rond		168,3	3	12,23			x	11
S235	Rond		168,3	4	16,21			x	11
S235	Rond		168,3	5	20,14			x	11
S235	Rond		168,3	6	24,02			x	11
S235	Rond		193,7	4	18,71			x	8
S235	Rond		193,7	5	23,27			x	8
S235	Rond		219,1	4	21,22			x	8
S235	Rond		219,1	5	26,40			x	5
S235	Rond		273	4	26,53			x	5
S235	Rond		273	5	33,04			x	5
S235	Rond		323,9	4	31,55			x	3
S235	Rond		323,9	5	39,32			x	3

Qualité	forme	Long	Larg/Ø	EPAISSEUR	POIDS	STOCK	COLISAGE	STOCK	COLISAGE
						6M		12M	
S235	Carré	20	20	2	1,05	x	224		
S235	Carré	22	22	2,3	1,32	x	224		
S235	Carré	25	25	2	1,36	x	169		
S235	Carré	28	28	2,5	1,88	x	169		
S235	Carré	30	30	2	1,68	x	144		
S235	Carré	30	30	3	2,36	x	100		
S235	Carré	30	30	4	2,94	x	81		
S235	Carré	35	35	2	1,99	x	110		
S235	Carré	35	35	2,5	2,43	x	110		
S235	Carré	35	35	3	2,83	x	81		
S235	Carré	35	35	4	3,57	x	64		
S235	Carré	40	40	2	2,31	x	100		
S235	Carré	40	40	2,5	2,82	x	100		
S235	Carré	40	40	3	3,30	x	72	x	49
S235	Carré	40	40	4	4,20	x	56	x	42
S235	Carré	40	40	5	4,99	x	49		
S235	Carré	45	45	2	2,62	x	81		
S235	Carré	45	45	2,5	3,21	x	81		
S235	Carré	45	45	3	3,77	x	64		
S235	Carré	45	45	4	4,83	x	49		
S235	Carré	50	50	2	2,93	x	81		
S235	Carré	50	50	2,5	3,60	x	81		
S235	Carré	50	50	3	4,25	x	56	x	42
S235	Carré	50	50	4	5,45	x	42	x	30
S235	Carré	50	50	5	6,56	x	36	x	25
S235	Carré	60	60	2	3,56	x	64		
S235	Carré	60	60	3	5,19	x	49	x	30
S235	Carré	60	60	4	6,71	x	36	x	25
S235	Carré	60	60	5	8,13	x	30	x	20
S235	Carré	60	60	6	9,45	x	25	x	20
S235	Carré	70	70	3	6,13	x	42	x	30
S235	Carré	70	70	4	7,97	x	30	x	25
S235	Carré	70	70	5	9,70	x	25	x	20
S235	Carré	80	80	2	4,82	x	42		
S235	Carré	80	80	3	7,07	x	36	x	30
S235	Carré	80	80	4	9,22	x	30	x	20
S235	Carré	80	80	5	11,27	x	25	x	16
S235	Carré	80	80	6	13,21	x	20	x	16
S235	Carré	90	90	3	8,01	x	30	x	25
S235	Carré	90	90	4	10,48	x	25	x	20
S235	Carré	90	90	5	12,84	x	20	x	16
S235	Carré	90	90	6	15,10	x	16	x	12
S235	Carré	90	90	8	18,87	x	16	x	9

Qualité	forme	Long	Larg/Ø	EPAISSEUR	POIDS	STOCK	COLISAGE	STOCK	COLISAGE
						6M		12M	
S235	Carré	100	100	3	8,96	x	30	x	20
S235	Carré	100	100	3	8,96	x	30	x	20
S235	Carré	100	100	4	11,73	x	25	x	16
S235	Carré	100	100	5	14,41	x	20	x	12
S235	Carré	100	100	6	16,98			x	12
S235	Carré	100	100	8	16,98			x	12
S235	Carré	120	120	3	10,84	x	20	x	16
S235	Carré	120	120	4	14,25	x	20	x	12
S235	Carré	120	120	5	17,55	x	16	x	12
S235	Carré	120	120	6	20,75			x	9
S235	Carré	140	140	3	12,72			x	12
S235	Carré	140	140	4	16,76			x	12
S235	Carré	140	140	5	20,69			x	8
S235	Carré	150	150	3	13,67			x	12
S235	Carré	150	150	4	18,01			x	12
S235	Carré	150	150	5	22,26			x	8
S235	Carré	150	150	6	26,40			x	8
S235	Carré	160	160	4	19,27			x	8
S235	Carré	160	160	5	23,83			x	8
S235	Carré	160	160	6	28,29			x	6
S235	Carré	180	180	5	26,97			x	6
S235	Carré	180	180	6	32,05			x	6
S235	Carré	200	200	4	24,29			x	9
S235	Carré	200	200	5	30,11			x	6
S235	Carré	200	200	6	35,82			x	6

Qualité	forme	Long	Larg/Ø	EPAISSEUR	POIDS	STOCK	COLISAGE	STOCK	COLISAGE
						6M		12M	
S235	Rect	30	20	2	1,36	x	170		
S235	Rect	35	20	2	1,52	x	153		
S235	Rect	40	20	2	1,68	x	136		
S235	Rect	40	20	3	2,36	x	105		
S235	Rect	40	27	2	1,90	x	126		
S235	Rect	50	20	2	1,99	x	119		
S235	Rect	50	25	2	2,15	x	105		
S235	Rect	50	25	2,5	2,62	x	105		
S235	Rect	50	30	2	2,31	x	96		
S235	Rect	50	30	3	3,30	x	70		
S235	Rect	50	30	4	4,20	x	54		
S235	Rect	60	20	2	2,31	x	102		
S235	Rect	60	30	2	2,62	x	91		
S235	Rect	60	30	2,5	3,21	x	91		
S235	Rect	60	30	3	3,77	x	66		
S235	Rect	60	30	4	4,83	x	50		
S235	Rect	60	34	2,5	3,55	x	50		
S235	Rect	60	40	2	2,93	x	77		
S235	Rect	60	40	3	4,25	x	54		
S235	Rect	60	40	4	5,45	x	42		
S235	Rect	60	40	5	6,56	x	35		
S235	Rect	70	35	2	3,17	x	84		
S235	Rect	70	35	3	4,48	x	55		
S235	Rect	70	40	2	3,25	x	70		
S235	Rect	70	40	3	4,72	x	48		
S235	Rect	70	40	4	6,08	x	40		
S235	Rect	70	50	2	3,56	x	70		
S235	Rect	70	50	3	5,19	x	48		
S235	Rect	70	50	4	6,71	x	35		
S235	Rect	80	40	2	3,56	x	66		
S235	Rect	80	40	3	5,19	x	50		
S235	Rect	80	40	4	6,71	x	36		
S235	Rect	80	40	5	8,13	x	32		
S235	Rect	80	50	2	3,88	x	60		
S235	Rect	80	50	3	5,66	x	40		
S235	Rect	80	50	4	7,34	x	35		
S235	Rect	80	50	5	8,91	x	28		
S235	Rect	80	60	3	6,13	x	42		
S235	Rect	80	60	4	7,97	x	35		
S235	Rect	80	60	5	9,70	x	30		
S235	Rect	80	60	6	11,33	x	25		
S235	Rect	90	50	3	6,13	x	40		
S235	Rect	90	50	4	7,97	x	35		

Qualité	forme	Long	Larg/Ø	EPAISSEUR	POIDS	STOCK	COLISAGE	STOCK	COLISAGE
						6M		12M	
S235	Rect	90	50	5	9,70	x	28		
S235	Rect	100	40	2	4,19	x	55		
S235	Rect	100	40	3	6,13	x	40		
S235	Rect	100	40	4	7,97	x	32		
S235	Rect	100	50	2	4,50	x	50	x	40
S235	Rect	100	50	3	6,60	x	40	x	28
S235	Rect	100	50	4	8,59	x	32	x	20
S235	Rect	100	50	5	10,48	x	24	x	16
S235	Rect	100	50	6	12,27			x	16
S235	Rect	100	60	3	7,07	x	35		
S235	Rect	100	60	4	9,22	x	28	x	20
S235	Rect	100	60	5	11,27	x	24		
S235	Rect	100	80	3	8,01	x	30		
S235	Rect	100	80	4	10,48	x	25		
S235	Rect	100	80	5	12,80	x	20		
S235	Rect	120	50	4	9,85	x	28		
S235	Rect	120	60	3	8,01	x	32	x	24
S235	Rect	120	60	4	10,48	x	24	x	20
S235	Rect	120	60	5	12,84	x	20	x	16
S235	Rect	120	60	6	15,10	x	18	x	12
S235	Rect	120	80	3	8,96			x	20
S235	Rect	120	80	4	11,73			x	16
S235	Rect	120	80	5	14,41	x	20	x	12
S235	Rect	140	40	3	8,01	x	33		
S235	Rect	140	60	5	14,41			x	15
S235	Rect	140	70	4	12,36			x	12
S235	Rect	140	70	5	15,19			x	12
S235	Rect	140	70	6	17,92			x	9
S235	Rect	140	80	3	9,90			x	20
S235	Rect	140	80	4	12,99			x	12
S235	Rect	140	80	5	15,98			x	12
S235	Rect	140	80	6	18,87			x	9
S235	Rect	150	50	3	8,96	x	30	x	21
S235	Rect	150	50	4	11,73	x	24	X	15
S235	Rect	150	50	5	14,41	x	18	X	15
S235	Rect	150	100	3	11,31	x	20	x	15
S235	Rect	150	100	4	14,87			x	12
S235	Rect	150	100	5	18,33			x	9
S235	Rect	150	100	6	21,69			x	9
S235	Rect	160	80	4	14,25			x	12
S235	Rect	160	80	5	17,55			x	12
S235	Rect	160	90	5	18,90			x	12
S235	Rect	180	80	3	11,78			x	12
S235	Rect	180	80	4	15,50			x	12

Qualité	forme	Long	Larg/Ø	EPAISSEUR	POIDS	STOCK	COLISAGE	STOCK	COLISAGE
						6M		12M	
S235	Rect	180	80	5	19,12			x	9
S235	Rect	180	80	6	22,63			x	9
S235	Rect	180	100	4	16,80			x	12
S235	Rect	180	100	6	24,52			x	9
S235	Rect	200	100	3	13,67			x	12
S235	Rect	200	100	4	18,01			x	12
S235	Rect	200	100	5	22,26			x	9
S235	Rect	200	100	6	26,40			x	9
S235	Rect	200	150	5	26,18			x	6
S235	Rect	200	150	6	31,11			x	6
S235	Rect	250	100	5	26,18			x	6
S235	Rect	250	100	6	31,11			x	6
S235	Rect	250	150	5	30,11			x	6
S235	Rect	250	150	6	35,82			x	6
S235	Rect	300	100	5	30,11			x	6
S235	Rect	300	100	6	35,82			x	6
S235	Rect	300	150	5	34,03			x	6
S235	Rect	300	200	6	45,24			x	6